Safety data sheet

according to 1907/2006/EC, Article 31

SCHOMBURG

Printing date 05.01.2017

Version number 23

Revision: 05.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

· Trade name: ASODUR-V-360-W (A-Komp.)(INDUFLOOR-IB 2360 (A-KOMP.))

- · Article number: 205056ANEU
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Hardening agent/ Curing agent
- 1.3 Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** SCHOMBURG GmbH & Co. KG Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

 Informing department: Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: guido.herfort@schomburg.de

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS05
- · Signal word Danger
- Hazard-determining components of labelling: polyamines adduct
- · Hazard statements
- H318 Causes serious eye damage.
- · Precautionary statements
- P280 Wear eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P363 Wash contaminated clothing before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- Additional information:

Contains Fettsäuren, Tallöl-, mit Maleinsäure behandelt, Verbindungen mit Triethanolamin. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)

GB

Version number 23

Revision: 05.01.2017

(Contd. of page 1)

Trade name: ASODUR-V-360-W (A-Komp.)(INDUFLOOR-IB 2360 (A-KOMP.))

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

• **Description:** Resin mixture.

· Dangerous components:

 10-25%

100684-20-6 Fettsäuren, Tallöl-, mit Maleinsäure behandelt, Verbindungen mit < 0.5% Comparison of Comparison o

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information
- Personal protection for the First Aider.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

- Take up a doctor immediately!
- After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact Wash with water and soap.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor. Show the pack or the label to the doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- \cdot Protective equipment: Wear self-contained breathing apparatus.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Follow the emergency-plan.

Burst- and explosion-danger by increaseing pressure.

In case of fire chill the container with water spray.

(Contd. on page 3)

Version number 23

Revision: 05.01.2017

Trade name: ASODUR-V-360-W (A-Komp.)(INDUFLOOR-IB 2360 (A-KOMP.))

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep away from children.
- · Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Recommended storage conditions: Temperature between 15 ℃-35 ℃
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: It must be possible to wash the skin in the working area. Eye-wash bottle must be available.
- · 8.1 Control parameters

• Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures
 The usual precautionary measures should be adhered to in handling the chemicals.
 Instantly remove any soiled and impregnated garments.
 Avoid contact with the eyes and skin.
 Be sure to clean skin thoroughly after work and before breaks.
- · Breathing equipment: Not required.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- Material of gloves Butyl rubber II R: Thickness \ge 0,5mm; Break through time \ge 480 min
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.

(Contd. on page 4)

Version number 23

Revision: 05.01.2017

Trade name: ASODUR-V-360-W (A-Komp.)(INDUFLOOR-IB 2360 (A-KOMP.))

(Contd. of page 3)

9.1 Information on basic physic General Information	cal and chemical properties	
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Smell:	Characteristic	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boilin	g range: Not determined	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure:	Not determined.	
Density at 20 ℃	1.5 g/cm³	
Solubility in / Miscibility with		
Water:	miscible	
Viscosity:		
dynamic at 20 °C:	1800 mPas	
kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

1317-65-3 Calciumcarbonat

- Oral LD50 >2000 mg/kg (rats)
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information: Sensitizing
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

Version number 23

Revision: 05.01.2017

Trade name: ASODUR-V-360-W (A-Komp.)(INDUFLOOR-IB 2360 (A-KOMP.))

(Contd. of page 4)

• STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

1317-65-3 Calciumcarbonat

EC50 >200 mg/l (algae toxicity)

EC50 (48h) >1000 mg/l (Daphnia magna)

LC50/96h >10000 mg/l (rainbow trout)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- Recommendation A little bit of cured rubbish, cab be pushed to the household rubbish.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN-Number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
 ADR, ADN, IMDG, IATA Class 	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	Not applicable.	
		(Contd. on page 6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.01.2017

Version number 23

Revision: 05.01.2017

(Contd. of page 5)

Trade name: ASODUR-V-360-W (A-Komp.)(INDUFLOOR-IB 2360 (A-KOMP.))

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations

- Water hazard class:
- Water hazard class 1 (Self-assessment): slightly hazardous for water. The classification based on german instructions.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.

- · Department issuing data specification sheet: Environment protection department.
- Contact: Mr. Guido Herfort

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B * Data compared to the previous version altered.